ISER 490 (401/55,56,57,58,59,60).CCLS. DERWERY; IBW TOB					
IS&R 490 (401/55,56,57,58,59,60).CCLS. DERMENT; IBM_TOB		Type	Hits		DBs
15&R 3149 4,75,76,77,78,79,80,81,82,38,48,88,88,88,88,88,88,18,189,189,10,20,20,30,0,0,0,0,0,0,0,0,0,0,0,0,0,0,0	н	IS&R	0	(55,56,57,58,59,60)	USPAT; EPO; IBM TDB
IS&R 1959 (401/91,92,93,94,95,96,97,90,100,101,102,1 US-PGPUB; USPAT; EPO;	7	IS&R	3149	61,62,63,64,65,66,67,68,69,70,71,72 76,77,78,79,80,81,82,83,84,85,86,87 .CCLS.	USPAT; EPO; IBM_TDB
IS&R 622 (401/111,112,113,114,115,116,117).CCLS. US-PGPUB; USPAT; EPO; DRRWBAT; IBM TDB	ო		95	1/91,92,93,94,95,96,97, 104,105,106,107,108,109	; USPAT; EPO; IBM TDB
BRS 5094 S1 or S2 or S3 or S4 US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 416 \$5 and (integra\$3 near (mold\$4 form\$3) US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 271 \$6 and (breax\$3 separat\$3) US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 42 \$10ject\$3) US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 172 "401"/\$.ccls. and rupture US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 15002 "401"/\$.ccls. and rupture adn lipstick US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 0 "401"/\$.ccls. and (scored) and (lip adj US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 0 "401"/\$.ccls. and (tamper near proof) and (lip adj US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 0 "401"/\$.ccls. and (tamper near proof) and (lip adj US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 4 "401"/\$.ccls. and (perforated) and (lip adj US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 4 "401"/\$.ccls. and (perforated) and (lip adj US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 4 "401"/\$.ccls. and (perforated) and (lip adj US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 3 "401"/\$.ccls. and (perforated) and (lip adj US-PGP	4	IS&R		1,112,113	; USPAT; EPO; IBM TDB
BRS 416 S5 and (integra\$3 near (mold\$4 form\$3) US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 271 S6 and (break\$3 separat\$3) US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 42 S16 and (integra\$3 near (mold\$4 form\$3) US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 172 "401"/\$.ccls. and rupture US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 15002 "401"/\$.ccls. and (weak\$3 near line) and (lip US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 0 "401"/\$.ccls. and (scored) and (lip adj) US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 0 "401"/\$.ccls. and (tamper near proof) and (lip adj) US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 0 "401"/\$.ccls. and (tamper near proof) and (lip adj) US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 4 "401"/\$.ccls. and (tamper near proof) and (lip adj) US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 4 "401"/\$.ccls. and (tamper near proof) and (lip adj) US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 4 "401"/\$.ccls. and (tamper near proof) and (lip adj) US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 4 "401"/\$.ccls. and (tamper near proof) and (lip adj)	Ŋ	BRS	5094	or S2 or S3 or	USPAT; EPO; IBM TDB
BRS 271 S6 and (break\$3 separat\$3) US-PGPUB; USPAT; EPO; BRS 272 S16 and (integra\$3 near (mold\$4 form\$3 US-PGPUB; USPAT; EPO; BRS 172 "401"/\$.ccls. and rupture adn lipstick DERWENT; IBM TDB DERWENT; IBM TDB DERWENT; IBM TDB US-PGPUB; USPAT; EPO; BRS 15002 "401"/\$.ccls. and rupture adn lipstick DERWENT; IBM TDB USPREWENT; IBM TDB	b	BRS	416	cegra\$3 near (mold\$4	USPAT; EPO; IBM TDB
BRS 42 S16 and (integra\$3 near (mold\$4 form\$3) US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 172 "401"/\$:ccls. and rupture US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 15002 "401"/\$:ccls. and rupture adn lipstick US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 0 "401"/\$:ccls. and (weak\$3 near line) and (lip uS-PGPUB; USPAT; EPO; adj (stick balm)) US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 0 "401"/\$:ccls. and (tamper near proof) and (lip adj (stick balm)) US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 0 "401"/\$:ccls. and (tamper near proof) DERWENT; IBM TDB DERWENT; IBM TDB BRS 4 "401"/\$:ccls. and (tamper near proof) DERWENT; IBM TDB BRS 4 "401"/\$:ccls. and (tamper near proof) DERWENT; IBM TDB BRS 4 "401"/\$:ccls. and (tamper near proof) DERWENT; IBM TDB BRS 3 "401"/\$:ccls. and (tamper near proof) DERWENT; IBM TDB BRS 3 "401"/\$:ccls. and (perforated) and (lip adj US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 3 "401"/\$:ccls. and frangible and (lip adj US-PGPUB; USPAT; EPO; DERWENT; IBM TDB	7	BRS	271	and (break\$3	USPAT; EPO; IBM TDB
BRS 172 "401"/\$.ccls. and rupture upture berwent; IBM TDB BRS 15002 "401"/\$.ccls. and rupture adn lipstick US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 0 "401"/\$.ccls. and (weak\$3 near line) and (lip adj) US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 0 "401"/\$.ccls. and (scored) and (lip adj) US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 0 "401"/\$.ccls. and (tamper near proof) and (lip adj) US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 4 "401"/\$.ccls. and (tamper near proof) DERWENT; IBM TDB BRS 4 "401"/\$.ccls. and (perforated) and (lip adj) US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 3 "401"/\$.ccls. and frangible and (lip adj) US-PGPUB; USPAT; EPO; USP	19	BRS	2	ntegra\$3 near (mold\$4	USPAT; EPO; IBM TDB
BRS 15002 "401"/\$.ccls. and rupture adn lipstick US-PGPUB; USPAT; EPO; BRS adj (stick balm)) DERWENT; IBM TDB US-PGPUB; USPAT; EPO; (stick balm)) DERWENT; IBM TDB US-PGPUB; USPAT; EPO; (stick balm)) DERWENT; IBM TDB US-PGPUB; USPAT; EPO; (lip adj (stick balm)) DERWENT; IBM TDB US-PGPUB; USPAT; EPO; (lip adj (stick balm)) DERWENT; IBM TDB US-PGPUB; USPAT; EPO; (stick balm)) DERWENT; IBM TDB US-PGPUB; USPAT; EPO; (stick balm)) DERWENT; IBM TDB US-PGPUB; USPAT; IBM TDB USPAT;	20	BRS	172	.ccls. and	; USPAT; EPO; IBM TDB
BRS 0 adj (stick balm)	21	BRS	15002	.ccls. and rupture adn	; USPAT; EPO; IBM TDB
BRS 0 "401"/\$.ccls. and (scored) and (lip adj US-PGPUB; USPAT; EPO; DERWENT; IBM TDB US-PGPUB; USPAT; EPO; DERWENT; IBM TDB (lip adj (stick balm)) BRS 6 "401"/\$.ccls. and (tamper near proof) DERWENT; IBM TDB US-PGPUB; USPAT; EPO; DERWENT; IBM TDB US-PGPUB; USPAT; EPO; DERWENT; IBM TDB (stick balm)) BRS 3 "401"/\$.ccls. and frangible and (lip adj US-PGPUB; USPAT; EPO; DERWENT; IBM TDB (stick balm)) BRS 7 (stick balm)) BRS 7 (stick balm)) BRS 7 (stick balm))	22	BRS	0	<pre>1"/\$.ccls. and (weak\$3 near line) (stick balm))</pre>	; USPAT; EPO; IBM TDB
BRS 0 "401"/\$.ccls. and (tamper near proof) and US-PGPUB; USPAT; EPO; BRS 6 "401"/\$.ccls. and (tamper near proof) BRS 4 "401"/\$.ccls. and (perforated) and (lip adj US-PGPUB; USPAT; EPO; BRS 4 (stick balm)) BRS 3 (stick balm)) BRS 3 (stick balm)) BRS 3 (stick balm)) BRS 1 (stick balm)) BRS 1 (stick balm)) BRS 1 (stick balm))	23	BRS		. and (scored) and (lip	USPAT; EPO; IBM TDB
BRS 6 "401"/\$.ccls. and (tamper near proof) BRS 4 "401"/\$.ccls. and (perforated) and (lip adj US-PGPUB; USPAT; EPO; DERWENT; IBM TDB (stick balm)) BRS 3 "401"/\$.ccls. and frangible and (lip adj US-PGPUB; USPAT; EPO; DERWENT; IBM TDB (stick balm))	24	BRS	0	<pre>. and (tamper near proof) ick balm))</pre>	USPAT; EPO; IBM TDB
BRS 4 "401"/\$.ccls. and (perforated) and (lip adj US-PGPUB; USPAT; EPO; Cstick balm) BRS 3 "401"/\$.ccls. and frangible and (lip adj US-PGPUB; USPAT; EPO; Cstick balm)) Compared to the companies of the com	25	BRS	9	. and (tamper near	USPAT; EPO; IBM TDB
BRS 3 "401"/\$.ccls. and frangible and (lip adj US-PGPUB; USPAT; EPO; (stick balm))	26		4	<pre>.ccls. and (perforated) and (lip balm))</pre>	; USPAT; EPO; IBM TDB
	27		3	<pre>.ccls. and frangible and (lip balm))</pre>	; USPAT; EPO; IBM_TDB

٠,

Type Hits Search Text Dispension D					
BRS 64 "206"/385,823,581.ccls. and perforated DEFRENT; IBM TDB BRS - "206"/385,823,581.ccls. and (break\$3 near DEPRENT; IBM TDB BRS - (line portion member section)) DERWENT; IBM TDB BRS - (line portion member section) DERWENT; IBM TDB BRS 348 "206"/\$.ccls. and (break\$3 near (line portion US-PGPUB, USPAT; BPO; member section)) BRS 20 \$62 and cosmetic DERWENT; IBM TDB BRS 31 (scored adj (line portion member section)) US-PGPUB, USPAT; BPO; DERWENT; IBM TDB BRS 31 (scored adj (line portion member section)) US-PGPUB; USPAT; BPO; DERWENT; IBM TDB BRS 3082 (frangible) and cas\$3 and rota\$4 and carr\$4 DERWENT; IBM TDB BRS 31 \$66 and "401"/\$.ccls. US-PGPUB; USPAT; BPO; DERWENT; IBM TDB BRS 5094 \$69 or \$70 or \$71 or \$72 US-PGPUB; USPAT; BPO; DERWENT; IBM TDB BRS 5094 \$69 or \$70 or \$71 or \$72 US-PGPUB; USPAT; BPO; DERWENT; IBM TDB BRS 573 and (weakened near (line portion member (US-PGPUB; USPAT; BPO; DERWENT; IBM TDB BRS 573 and (weakened near (line portion member (US-PGPUB;		Туре	Hits		DBs
BRS 5	59	BRS		/385,823,581.ccls. and	USPAT; EPO; IBM_TDB
BRS 4 "206"/385,823,581.ccls. and (scored near legement) US-PGPUB; USPAT; EPO; DERMENT; IBM TDB member section) BRS 348 "206"/\$c.cls. and (break\$3 near (line portion berwent; IBM TDB member section) US-PGPUB; USPAT; EPO; DERWENT; IBM TDB USPAT; EPO; DERWENT; IB	09	BRS	5	385,823,581.ccls. and (break\$3 portion member section))	USPAT; EPO; IBM_TDB
BRS 348 "206"/\$.ccls. and (break\$3 near (line portion break91 be) US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 20 \$62 and cosmetic US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 311 and cas\$3 and rota\$4 and carr\$4 US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 3082 (frangible) and cas\$3 and rota\$4 and carr\$4 US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 21 \$66 and "401"/\$.ccls. US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 5094 \$69 or \$70 or \$71 or \$72 US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS \$6 \$73 and frangible US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS \$6 \$73 and (weakened near (line portion member US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS \$73 and (weakened near (line portion member US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS \$73 and (scored near (line portion member US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS \$73 and perforated US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS \$73 and (scored near (line portion member US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS \$73 and perforated US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS \$73 and (19	BRS	4	385,823,581.ccls. and (scored portion member section)	USPAT; EPO; IBM TDB
BRS 20 S62 and cosmetic US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 311 (scored adj (line portion member section)) US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 3082 (frangible) and cas\$3 and rota\$4 and carr\$4 US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 21 S66 and "401"/\$.ccls. US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 131 S66 and "206"/\$.ccls. US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 5094 S69 or S70 or S71 or S72 US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 6 S73 and trupture US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 5 S6-Ction) BRS 5 S6-Ction) BRS 5 S6-Ction) BRS 5 S6-Ction) BRS 3 <	62	BRS	348	\$.ccls. and (break\$3 near (line section))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB
BRS 311 (scored adj (line portion member section)) US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 3082 (frangible) and cas\$3 and rota\$4 and carr\$4 US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 21 \$66 and "401"/\$.ccls. US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 131 \$66 and "206"/\$.ccls. US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS \$609 or \$70 or \$71 or \$72 US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS \$6 \$73 and trupture US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS \$6 \$73 and (weakened near (line portion member US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS \$6 \$73 and (scored near (line portion member US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS \$73 and (scored near (line portion member US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS \$73 and perforated US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS \$73 and perforated US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS \$73 and perforated US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS \$73 and perforated US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS \$73 and perforated US-PGPUB; USPAT; EPO; DERW	63	BRS	20	and cosmet	USPAT; EPO; IBM_TDB
BRS 3082 (frangible) and cas\$3 and rota\$4 and carr\$4 US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 21 S66 and "401"/\$.ccls. US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 131 S66 and "206"/\$.ccls. US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 5094 S69 or S70 or S71 or S72 US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 6 S73 and rupture US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 6 S73 and frangible US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS S73 and weakened near (line portion member DERWENT; IBM TDB US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS S73 and (scored near (line portion member DERWENT; IBM TDB US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 37 S73 and perforated US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 37 S73 and perforated US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 37 S73 and perforated US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 37 S73 and perforated US-PGPUB; USPAT; EPO; DERWENT; IBM TDB	64	BRS		dj (line portion member and rota\$4 and carr\$4	EPO;
BRS 21 S66 and "401"/\$.ccls. US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB BRS 131 S66 and "206"/\$.ccls. US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB BRS 5094 S69 or S70 or S71 or S72 US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB BRS 6 S73 and rupture US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB BRS 5 S73 and (weakened near (line portion member DERWENT; IBM_TDB BRS 5 SC13 and (scored near (line portion member DERWENT; IBM_TDB BRS S73 and (scored near (line portion member DERWENT; IBM_TDB BRS S73 and perforated US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB BRS 3 S73 and perforated US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB BRS 37 S73 and perforated US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB BRS 37 S73 and perforated US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB BRS 1775 US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	65	BRS	3082	e) and cas\$3 and rota\$4 and	USPAT; EPO; IBM_TDB
BRS 131 S66 and "206"/\$.ccls. US-PGPUB, USPAT, EPO; DERWENT, IBM TDB BRS 5094 S69 or S70 or S71 or S72 US-PGPUB, USPAT, EPO; DERWENT, IBM TDB BRS 6 S73 and rupture US-PGPUB, USPAT; EPO; DERWENT, IBM TDB BRS 6 S73 and (weakened near (line portion member section)) US-PGPUB; USPAT; EPO; DERWENT, IBM TDB BRS 5 S73 and (scored near (line portion member berwent; IBM TDB US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 3 S73 and (scored near (line portion member berwent; IBM TDB US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 37 S73 and perforated US-PGPUB; USPAT; EPO; DERWENT; IBM TDB IS&R 1775 (206/459.1,385,581,823).CCLS. US-PGPUB; USPAT; EPO; DERWENT; IBM TDB	99	BRS	21	and "401"/\$	USPAT; EPO; IBM_TDB
BRS 5094 S69 or S70 or S71 or S72 US-PGPUB; USPAT; IBM TDB ERWENT; IBM TDB EPO; DERWENT; IBM TDB BRS 6 S73 and frangible US-PGPUB; USPAT; IBM TDB US-PGPUB; USPAT; IBM TDB BRS 5 SCTion) DERWENT; IBM TDB US-PGPUB; USPAT; IBM TDB BRS 3 S73 and (weakened near (line portion member section)) US-PGPUB; USPAT; IBM TDB US-PGPUB; USPAT; IBM TDB BRS 3 S73 and (scored near (line portion member berwent; IBM TDB US-PGPUB; USPAT; IBM TDB US-PGPUB; USPAT; IBM TDB BRS 37 S73 and perforated US-PGPUB; USPAT; IBM TDB US-PGPUB; USPAT; IBM TDB IS&R 1775 (206/459.1,385,581,823).CCLS. US-PGPUB; USPAT; IBM TDB	67	BRS	3	and "206"/\$	USPAT; EPO; IBM_TDB
BRS 6 S73 and frangible US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS S73 and frangible US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS S73 and (weakened near (line portion member section)) US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS S73 and (scored near (line portion member section)) US-PGPUB; USPAT; EPO; DERWENT; IBM TDB BRS 37 S73 and perforated US-PGPUB; USPAT; EPO; DERWENT; IBM TDB IS&R 1775 (206/459.1,385,581,823).CCLS. US-PGPUB; USPAT; EPO; DERWENT; IBM TDB	72	BRS	5094	or S70 or S71 or	USPAT; EPO; IBM_TDB
BRS 6 S73 and frangible BRS 5 Section) BRS 3 Section) BRS 3 S73 and (weakened near (line portion member DERWENT; IBM TDB	73	BRS	9	and ruptur	USPAT; EPO; IBM_TDB
BRS 5 section) BRS 3 section) BRS 3 section) BRS 3 section) BRS 37 and (scored near (line portion member US-PGPUB; USPAT; EPO; DERWENT; IBM TDB	74	BRS	9	and frangi	USPAT; EPO; IBM_TDB
BRS 3 section)) BRS 37 and (scored near (line portion member DERWENT; IBM_TDB DERWENT; IBM_TDB US-PGPUB; U	75	BRS		<pre>and (weakened near (line tion))</pre>	USPAT; EPO; IBM_TDB
BRS 37 S73 and perforated US-PGPUB; USPAT; EPO; DERWENT; IBM TDB IS&R 1775 (206/459.1,385,581,823).CCLS. US-PGPUB; USPAT; EPO; DERWENT; IBM TDB	92	BRS	8	and (scored near (line ion))	USPAT; EPO; IBM_TDB
IS&R 1775 (206/459.1,385,581,823).CCLS. DERWENT; IBM_TDB	7.7	BRS	37	and perfor	USPAT; EPO; IBM_TDB
	112	H	1775	9.1,385,	; USPAT; EPO; IBM_TDB

Type	pe Hits	Search Text	DBs
113 BRS	554	S113 and (lip or cosmetic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB